

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Cloprostenol (with Propylene Glycol) Formulation

Version 2.9 Revision Date: 09/28/2024 SDS Number: 5266463-00011 Date of last issue: 09/30/2023
Date of first issue: 11/14/2019

SECTION 1. IDENTIFICATION

Product name : Cloprostenol (with Propylene Glycol) Formulation

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Propylene glycol	57-55-6	12.9518
Sodium [1 α (Z),2 β (1E,3R*),3 α ,5 α]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate	55028-72-3	0.0229

SECTION 4. FIRST AID MEASURES

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.
In case of skin contact : Wash with water and soap as a precaution.
Get medical attention if symptoms occur.
In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.
If swallowed : If swallowed, DO NOT induce vomiting.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Cloprostenol (with Propylene Glycol) Formula-tion

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
2.9	09/28/2024	5266463-00011	Date of first issue: 11/14/2019

Most important symptoms and effects, both acute and delayed	:	Get medical attention if symptoms occur. Rinse mouth thoroughly with water. None known.
Protection of first-aiders	:	No special precautions are necessary for first aid responders.
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Cloprostenol (with Propylene Glycol) Formula-tion

Version 2.9 Revision Date: 09/28/2024 SDS Number: 5266463-00011 Date of last issue: 09/30/2023
Date of first issue: 11/14/2019

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.

Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Avoid prolonged or repeated contact with skin.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propylene glycol	57-55-6	TWA	10 mg/m ³	US WEEL
Sodium [1α(Z),2β(1E,3R*),3α,5α]-(+/-)- 7-[2-[4-(3-chlorophenoxy)-3- hydroxybut-1-enyl]-3,5- dihydroxycyclopentyl]hept-5- enoate	55028-72-3	TWA	0.01 ug/m ³ (OEB 5)	Internal
Further information: RSEN, Skin				
		Wipe limit	0.1 ug/100 cm ²	Internal

- Engineering measures : Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace.
All engineering controls should be implemented by facility

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Cloprostenol (with Propylene Glycol) Formula-tion

Version 2.9	Revision Date: 09/28/2024	SDS Number: 5266463-00011	Date of last issue: 09/30/2023 Date of first issue: 11/14/2019
----------------	------------------------------	------------------------------	---

design and operated in accordance with GMP principles to protect products, workers, and the environment.
No open handling permitted.
Totally enclosed processes and materials transport systems are required.
Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the workplace.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Cloprostenol (with Propylene Glycol) Formulation

Version 2.9	Revision Date: 09/28/2024	SDS Number: 5266463-00011	Date of last issue: 09/30/2023 Date of first issue: 11/14/2019
----------------	------------------------------	------------------------------	---

Appearance	:	Aqueous solution
Color	:	colorless
Odor	:	characteristic
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	21 °F / -6 °C
Initial boiling point and boiling range	:	210 °F / 99 °C
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	1.02 - 1.08
Density	:	No data available
Solubility(ies) Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	1.56 - 1.62 mm ² /s
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Cloprostenol (with Propylene Glycol) Formula-tion

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
2.9	09/28/2024	5266463-00011	Date of first issue: 11/14/2019

Molecular weight : No data available

Particle characteristics
Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Can react with strong oxidizing agents.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:

Propylene glycol:

Acute oral toxicity	: LD50 (Rat): 22,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 44.9 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

Sodium [1 α (Z),2 β (1E,3R*),3 α ,5 α]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:

Acute oral toxicity	: LD50 (Rat): > 25 mg/kg Remarks: No mortality observed at this dose.
---------------------	--

Acute toxicity (other routes of administration)	: LD50 (Rat): > 50 mg/kg Application Route: Subcutaneous
---	---

LD50 (Rat): > 50 mg/kg
Application Route: Intramuscular

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Cloprostenol (with Propylene Glycol) Formula-tion

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
2.9	09/28/2024	5266463-00011	Date of first issue: 11/14/2019

LD50 (Rat): 5 mg/kg
Application Route: Intravenous
Remarks: No mortality observed at this dose.

LD50 (Mouse): 350 mg/kg
Application Route: Intramuscular

LD50 (Mouse): 54.7 mg/kg
Application Route: Intravenous

TDLo (Monkey): 0.0025 - 0.025 mg/kg
Application Route: Intramuscular
Target Organs: Lungs
Symptoms: Diarrhea, Vomiting, Rapid respiration

TDLo (Monkey): 0.0013 mg/kg
Application Route: Intramuscular
Target Organs: ovaries

Skin corrosion/irritation

Not classified based on available information.

Components:

Propylene glycol:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Sodium [1 α (Z),2 β (1E,3R*),3 α ,5 α]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:

Remarks	:	Not classified due to lack of data. Can be absorbed through skin.
---------	---	--

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Propylene glycol:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

Sodium [1 α (Z),2 β (1E,3R*),3 α ,5 α]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:

Remarks	:	Not classified due to lack of data.
---------	---	-------------------------------------

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Cloprostenol (with Propylene Glycol) Formula-tion

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
2.9	09/28/2024	5266463-00011	Date of first issue: 11/14/2019

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Propylene glycol:

Test Type	: Maximization Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Result	: negative

Sodium [1 α (Z),2 β (1E,3R*),3 α ,5 α]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:

Result	: Sensitizer
--------	--------------

Germ cell mutagenicity

Not classified based on available information.

Components:

Propylene glycol:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
	Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
	Species: Mouse
	Application Route: Intraperitoneal injection
	Result: negative

Sodium [1 α (Z),2 β (1E,3R*),3 α ,5 α]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
	Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Result: negative

Test Type: Chromosomal aberration
Test system: Human lymphocytes
Result: equivocal

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Cloprostenol (with Propylene Glycol) Formula-tion

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
2.9	09/28/2024	5266463-00011	Date of first issue: 11/14/2019

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Cell type: Bone marrow
Application Route: Intraperitoneal
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Propylene glycol:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

Sodium [1 α (Z),2 β (1E,3R*),3 α ,5 α]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:

Remarks : Not classified due to lack of data.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

Propylene glycol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Mouse
Application Route: Ingestion
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Ingestion
Result: negative

Sodium [1 α (Z),2 β (1E,3R*),3 α ,5 α]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:

Effects on fertility : Test Type: Three-generation study

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Cloprostenol (with Propylene Glycol) Formula-tion

Version 2.9	Revision Date: 09/28/2024	SDS Number: 5266463-00011	Date of last issue: 09/30/2023 Date of first issue: 11/14/2019
----------------	------------------------------	------------------------------	---

Species: Rat
Application Route: Oral
General Toxicity F1: NOAEL: 0.015 mg/kg body weight
Fertility: NOAEL: > 0.04 mg/kg body weight
Result: Animal testing did not show any effects on fertility.

Species: Cattle
Application Route: Intramuscular
General Toxicity Parent: LOAEL: 0.16 µg/kg
Result: positive
Remarks: Abortion

Effects on fetal development : Test Type: Development
Species: Rabbit
Application Route: Subcutaneous
Teratogenicity: NOAEL: 0.250 µg/kg
Result: No teratogenic effects.

Test Type: Development
Species: Rat
Application Route: Oral
Teratogenicity: NOAEL: 100 µg/kg
Result: No teratogenic effects.

Reproductive toxicity - Assessment : May damage fertility.

STOT-single exposure

Not classified based on available information.

Components:

Sodium [1α(Z),2β(1E,3R*),3α,5α]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:

Target Organs : Lungs
Assessment : Causes damage to organs.

STOT-repeated exposure

Not classified based on available information.

Components:

Sodium [1α(Z),2β(1E,3R*),3α,5α]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:

Target Organs : Ovary
Assessment : Causes damage to organs through prolonged or repeated exposure.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Cloprostenol (with Propylene Glycol) Formula-tion

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
2.9	09/28/2024	5266463-00011	Date of first issue: 11/14/2019

Repeated dose toxicity

Components:

Propylene glycol:

Species	: Rat, male
NOAEL	: $\geq 1,700$ mg/kg
Application Route	: Ingestion
Exposure time	: 2 y

Sodium [1 α (Z),2 β (1E,3R*),3 α ,5 α]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:

Species	: Rat
NOAEL	: 0.05 mg/kg
LOAEL	: 0.15 mg/kg
Application Route	: Oral
Exposure time	: 3 Months
Target Organs	: Ovary

Species	: Rat
LOAEL	: 0.0125 mg/kg
Application Route	: Subcutaneous
Exposure time	: 30 Days
Target Organs	: Ovary

Species	: Monkey
NOAEL	: 0.05 mg/kg
LOAEL	: 0.15 mg/kg
Application Route	: Oral
Exposure time	: 3 Months
Target Organs	: Heart, Testis

Aspiration toxicity

Not classified based on available information.

Components:

Sodium [1 α (Z),2 β (1E,3R*),3 α ,5 α]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:

Not applicable

Experience with human exposure

Components:

Sodium [1 α (Z),2 β (1E,3R*),3 α ,5 α]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:

General Information	: Target Organs: Uterus (including cervix) Symptoms: Embryo-fetal toxicity., Fetal mortality., menstrual irregularities, miscarriage Target Organs: Lungs
---------------------	---

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Cloprostenol (with Propylene Glycol) Formula-tion

Version 2.9	Revision Date: 09/28/2024	SDS Number: 5266463-00011	Date of last issue: 09/30/2023 Date of first issue: 11/14/2019
----------------	------------------------------	------------------------------	---

Inhalation	: Symptoms: Asthma, bronchospasm Target Organs: Lungs Symptoms: bronchospasm, Asthma Remarks: May cause sensitization of susceptible persons by inhalation of aerosol or dust. Target Organs: Uterus (including cervix)
Skin contact	: Symptoms: Embryoethal effects., menstrual irregularities Target Organs: Lungs Symptoms: bronchospasm Remarks: Can be absorbed through skin. Target Organs: Uterus (including cervix) Symptoms: Embryoethal effects.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Propylene glycol:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l Exposure time: 7 d
Toxicity to microorganisms	: NOEC (Pseudomonas putida): > 20,000 mg/l Exposure time: 18 h

Sodium [1 α (Z),2 β (1E,3R*),3 α ,5 α]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:

Ecotoxicology Assessment

Acute aquatic toxicity	: Toxic effects cannot be excluded
Chronic aquatic toxicity	: Toxic effects cannot be excluded

Persistence and degradability

Components:

Propylene glycol:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 98.3 %
------------------	--

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Cloprostenol (with Propylene Glycol) Formula-tion

Version 2.9	Revision Date: 09/28/2024	SDS Number: 5266463-00011	Date of last issue: 09/30/2023 Date of first issue: 11/14/2019
----------------	------------------------------	------------------------------	---

Exposure time: 28 d
Method: OECD Test Guideline 301F

Bioaccumulative potential

Components:

Propylene glycol:

Partition coefficient: n-octanol/water	:	log Pow: -1.07 Method: Regulation (EC) No. 440/2008, Annex, A.8
--	---	--

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	Dispose of in accordance with local regulations. Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Special precautions for user

Not applicable

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Cloprostenol (with Propylene Glycol) Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
2.9	09/28/2024	5266463-00011	Date of first issue: 11/14/2019

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

Water	7732-18-5
Propylene glycol	57-55-6
4-Chloro-3-methylphenol	59-50-7

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Further information

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Cloprostenol (with Propylene Glycol) Formulation


Version
2.9

Revision Date:
09/28/2024

SDS Number:
5266463-00011

Date of last issue: 09/30/2023
Date of first issue: 11/14/2019

NFPA 704:



HMIS® IV:

HEALTH	/	0
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)
US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amend-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Cloprostenol (with Propylene Glycol) Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
2.9	09/28/2024	5266463-00011	Date of first issue: 11/14/2019

ments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 09/28/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8