

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Fluralaner (with Vitamin E) Formulation (AU/NZ)

Version	Revision Date:	SDS Number:	Date of last issue: 03/12/2024
1.2	07/23/2024	11357726-00003	Date of first issue: 02/28/2024

SECTION 1. IDENTIFICATION

Product name : Fluralaner (with Vitamin E) Formulation (AU/NZ)
Other means of identification : FLEXOLT ORAL LICE TREATMENT FOR SHEEP WITH ANY LENGTH OF WOOL (91565)
FLEXOLT (A011971)

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Reproductive toxicity : Category 2

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H361d Suspected of damaging the unborn child.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P280 Wear protective gloves, protective clothing, eye protection and face protection.
Response:
P308 + P313 IF exposed or concerned: Get medical attention.
Storage:
P405 Store locked up.
Disposal:
P501 Dispose of contents and container to an approved waste disposal plant.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Fluralaner (with Vitamin E) Formulation (AU/NZ)

Version 1.2 Revision Date: 07/23/2024 SDS Number: 11357726-00003 Date of last issue: 03/12/2024
Date of first issue: 02/28/2024

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Diethylene glycol monoethyl ether	Ethanol, 2-(2-ethoxyethoxy)-	111-90-0	22.7
Fluralaner	No data available	864731-61-3	1

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Suspected of damaging the unborn child.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Fluralaner (with Vitamin E) Formulation (AU/NZ)

Version 1.2	Revision Date: 07/23/2024	SDS Number: 11357726-00003	Date of last issue: 03/12/2024 Date of first issue: 02/28/2024
----------------	------------------------------	-------------------------------	---

Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Chlorine compounds Fluorine compounds
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Avoid inhalation of vapor or mist. Do not swallow. Avoid contact with eyes.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Fluralaner (with Vitamin E) Formulation (AU/NZ)

Version 1.2 Revision Date: 07/23/2024 SDS Number: 11357726-00003 Date of last issue: 03/12/2024
Date of first issue: 02/28/2024

Avoid prolonged or repeated contact with skin.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Diethylene glycol monoethyl ether	111-90-0	TWA	30 ppm 165 mg/m ³	CA ON OEL
Fluralaner	864731-61-3	TWA	100 µg/m ³ (OEB 2)	Internal
Further information: Skin				
		Wipe limit	1000 µg/100 cm ²	Internal

Engineering measures : Ensure adequate ventilation, especially in confined areas.
Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often!
For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:
Safety glasses

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Skin contact must be avoided by using impervious protective

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Fluralaner (with Vitamin E) Formulation (AU/NZ)

Version 1.2	Revision Date: 07/23/2024	SDS Number: 11357726-00003	Date of last issue: 03/12/2024 Date of first issue: 02/28/2024
----------------	------------------------------	-------------------------------	---

Hygiene measures : clothing (gloves, aprons, boots, etc).
: If exposure to chemical is likely during typical use, provide
eye flushing systems and safety showers close to the
working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: yellow
Odor	: No data available
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: 103 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: No data available
Density	: 1,045 kg/m ³ (25 °C)
Solubility(ies) Water solubility	: soluble
Partition coefficient: n-octanol/water	: Not applicable
Autoignition temperature	: No data available

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Fluralaner (with Vitamin E) Formulation (AU/NZ)

Version	Revision Date:	SDS Number:	Date of last issue: 03/12/2024
1.2	07/23/2024	11357726-00003	Date of first issue: 02/28/2024

Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	0.145 Pas (25 °C)
Viscosity, kinematic	:	139 mm ² /s (25 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	Not applicable
Particle characteristics		
Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:

Diethylene glycol monoethyl ether:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5.24 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	:	LD50 (Rabbit): 9,143 mg/kg

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Fluralaner (with Vitamin E) Formulation (AU/NZ)

Version	Revision Date:	SDS Number:	Date of last issue: 03/12/2024
1.2	07/23/2024	11357726-00003	Date of first issue: 02/28/2024

Fluralaner:

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg Remarks: No mortality observed at this dose. No significant adverse effects were reported
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Remarks: No significant adverse effects were reported

Skin corrosion/irritation

Not classified based on available information.

Components:

Diethylene glycol monoethyl ether:

Species	:	Rabbit
Result	:	No skin irritation

Fluralaner:

Species	:	Rabbit
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Diethylene glycol monoethyl ether:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

Fluralaner:

Species	:	Rabbit
Result	:	Mild eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Fluralaner:

Test Type	:	Maximization Test
Routes of exposure	:	Dermal
Species	:	Guinea pig

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Fluralaner (with Vitamin E) Formulation (AU/NZ)

Version	Revision Date:	SDS Number:	Date of last issue: 03/12/2024
1.2	07/23/2024	11357726-00003	Date of first issue: 02/28/2024

Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:

Diethylene glycol monoethyl ether:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with
mammalian liver cells in vivo
Species: Rat
Application Route: Ingestion
Result: negative

Fluralaner:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Mouse Lymphoma
Result: negative

Test Type: Chromosomal aberration
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Cell type: Bone marrow
Application Route: Oral
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Fluralaner:

Carcinogenicity - Assessment : No data available

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

Diethylene glycol monoethyl ether:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Mouse

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Fluralaner (with Vitamin E) Formulation (AU/NZ)

Version 1.2	Revision Date: 07/23/2024	SDS Number: 11357726-00003	Date of last issue: 03/12/2024 Date of first issue: 02/28/2024
----------------	------------------------------	-------------------------------	---

Application Route: Ingestion
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative

Fluralaner:

Effects on fertility : Test Type: Two-generation study
Species: Rat
Application Route: Oral
General Toxicity Parent: NOAEL: 50 mg/kg body weight
General Toxicity F1: LOAEL: 100 mg/kg body weight
Result: No effects on fertility., Postimplantation loss., Adverse neonatal effects.

Test Type: One-generation reproduction toxicity study
Species: Dog
Application Route: Oral
Fertility: NOAEL: 75 mg/kg body weight
Result: No effects on fertility and early embryonic development were detected.
Remarks: No significant adverse effects were reported

Effects on fetal development : Test Type: Development
Species: Rat
Application Route: Oral
Developmental Toxicity: NOAEL: 100 mg/kg body weight
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses, No teratogenic effects.

Test Type: Development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 10 mg/kg body weight
Result: Skeletal malformations., Visceral malformations.
Remarks: Maternal toxicity observed.

Test Type: Development
Species: Rabbit
Application Route: Dermal
Developmental Toxicity: NOAEL: 100 mg/kg body weight
Result: Skeletal malformations.

Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

STOT-single exposure

Not classified based on available information.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Fluralaner (with Vitamin E) Formulation (AU/NZ)

Version	Revision Date:	SDS Number:	Date of last issue: 03/12/2024
1.2	07/23/2024	11357726-00003	Date of first issue: 02/28/2024

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Diethylene glycol monoethyl ether:

Species	: Dog
NOAEL	: 1,000 mg/kg
Application Route	: Ingestion
Exposure time	: 13 Weeks
Species	: Rat
NOAEL	: ≥ 1.06 mg/l
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 28 Days
Species	: Rabbit
NOAEL	: $\geq 1,000$ mg/kg
Application Route	: Skin contact
Exposure time	: 28 Days

Fluralaner:

Species	: Dog
NOAEL	: 1 mg/kg
Application Route	: Oral
Exposure time	: 52 Weeks
Target Organs	: Liver
Remarks	: No significant adverse effects were reported
Species	: Juvenile dog
LOAEL	: 56 - 280 mg/kg
Application Route	: Oral
Exposure time	: 24 Weeks
Symptoms	: Diarrhea
Species	: Rat
LOAEL	: 400 mg/kg
Application Route	: Oral
Exposure time	: 90 Days
Target Organs	: Liver, thymus gland
Species	: Rat
NOAEL	: 500 mg/kg
Application Route	: Dermal
Exposure time	: 90 Days
Target Organs	: Liver
Remarks	: No significant adverse effects were reported

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Fluralaner (with Vitamin E) Formulation (AU/NZ)

Version 1.2	Revision Date: 07/23/2024	SDS Number: 11357726-00003	Date of last issue: 03/12/2024 Date of first issue: 02/28/2024
----------------	------------------------------	-------------------------------	---

Aspiration toxicity

Not classified based on available information.

Components:

Fluralaner:

Not applicable

Experience with human exposure

Components:

Fluralaner:

Skin contact	: Remarks: May irritate skin.
Eye contact	: Remarks: May cause eye irritation.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Diethylene glycol monoethyl ether:

Toxicity to fish	: LC50 (Ictalurus catus (catfish)): 6,010 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 1,982 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Selenastrum capricornutum (green algae)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials NOEC (Selenastrum capricornutum (green algae)): >= 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to microorganisms	: IC50: > 5,000 mg/l Exposure time: 16 h

Fluralaner:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.0488 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubility.
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 0.015 mg/l Exposure time: 48 h

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Fluralaner (with Vitamin E) Formulation (AU/NZ)

Version	Revision Date:	SDS Number:	Date of last issue: 03/12/2024
1.2	07/23/2024	11357726-00003	Date of first issue: 02/28/2024

Method: OECD Test Guideline 202
Remarks: No toxicity at the limit of solubility.

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): $\geq$ 0.08 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility.

Toxicity to fish (Chronic toxicity) : NOEC (Zebrafish): $\geq$ 0.049 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 204
Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0736 μ g/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Persistence and degradability

Components:

Diethylene glycol monoethyl ether:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 100 %
Exposure time: 16 d
Method: OECD Test Guideline 301B

Bioaccumulative potential

Components:

Diethylene glycol monoethyl ether:

Partition coefficient: n-octanol/water : log Pow: -0.54

Fluralaner:

Bioaccumulation : Species: Zebrafish
Bioconcentration factor (BCF): 79.4
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.5

Mobility in soil

Components:

Fluralaner:

Distribution among environmental compartments : log Koc: 4.1

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Fluralaner (with Vitamin E) Formulation (AU/NZ)

Version	Revision Date:	SDS Number:	Date of last issue: 03/12/2024
1.2	07/23/2024	11357726-00003	Date of first issue: 02/28/2024

Other adverse effects

Components:

Fluralaner:

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Fluralaner)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Fluralaner)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 964

Packing instruction (passenger aircraft) : 964

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Fluralaner)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Fluralaner (with Vitamin E) Formulation (AU/NZ)

Version	Revision Date:	SDS Number:	Date of last issue: 03/12/2024
1.2	07/23/2024	11357726-00003	Date of first issue: 02/28/2024

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fluralaner)
Class	: 9
Packing group	: III
Labels	: 9
ERG Code	: 171
Marine pollutant	: yes(Fluralaner)

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS	: not determined
DSL	: not determined
IECSC	: not determined

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

CA ON OEL	: Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
CA ON OEL / TWA	: Time-Weighted Average Limit (TWA)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory con-

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Fluralaner (with Vitamin E) Formulation (AU/NZ)

Version	Revision Date:	SDS Number:	Date of last issue: 03/12/2024
1.2	07/23/2024	11357726-00003	Date of first issue: 02/28/2024

centration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 07/23/2024
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8