

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
3.1	09/30/2023	6008074-00010	Date of first issue: 06/05/2020

SECTION 1. IDENTIFICATION

Product name : Oxytetracycline Solid Formulation

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Combustible dust

Skin corrosion : Category 1
Serious eye damage : Category 1
Skin sensitization : Category 1
Reproductive toxicity : Category 1A

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H360D May damage the unborn child.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline Solid Formulation

Version 3.1 Revision Date: 09/30/2023 SDS Number: 6008074-00010 Date of last issue: 04/04/2023
Date of first issue: 06/05/2020

P264 Wash skin thoroughly after handling.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves, protective clothing, eye protection and face protection.

Response:

P301 + P330 + P331 + P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER.
P303 + P361 + P353 + P310 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER.
P308 + P313 IF exposed or concerned: Get medical attention.
P333 + P313 If skin irritation or rash occurs: Get medical attention.
P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Oxytetracycline	79-57-2	75.5

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention immediately.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
3.1	09/30/2023	6008074-00010	Date of first issue: 06/05/2020

- | | | |
|---|---|--|
| In case of skin contact | : | In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Get medical attention immediately.
Wash clothing before reuse.
Thoroughly clean shoes before reuse. |
| In case of eye contact | : | In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention immediately. |
| If swallowed | : | If swallowed, DO NOT induce vomiting.
If vomiting occurs have person lean forward.
Call a physician or poison control center immediately.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person. |
| Most important symptoms and effects, both acute and delayed | : | May cause an allergic skin reaction.
Causes serious eye damage.
May damage the unborn child.
Causes severe burns.
Causes digestive tract burns. |
| Protection of first-aiders | : | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| Notes to physician | : | Treat symptomatically and supportively. |

SECTION 5. FIRE-FIGHTING MEASURES

- | | | |
|--|---|---|
| Suitable extinguishing media | : | Water spray
Alcohol-resistant foam
Carbon dioxide (CO2)
Dry chemical |
| Unsuitable extinguishing media | : | None known. |
| Specific hazards during fire fighting | : | Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products | : | Carbon oxides |
| Specific extinguishing methods | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area. |
| Special protective equipment for fire-fighters | : | In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | | |
|---|---|--|
| Personal precautions, protective equipment and emergency measures | : | Use personal protective equipment.
Follow safe handling advice (see section 7) and personal |
|---|---|--|

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
3.1	09/30/2023	6008074-00010	Date of first issue: 06/05/2020

- | | |
|---|--|
| agency procedures | protective equipment recommendations (see section 8). |
| Environmental precautions | : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained. |
| Methods and materials for containment and cleaning up | : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements. |

SECTION 7. HANDLING AND STORAGE

- | | |
|-----------------------------|--|
| Technical measures | : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. |
| Local/Total ventilation | : If sufficient ventilation is unavailable, use with local exhaust ventilation. |
| Advice on safe handling | : Do not get on skin or clothing.
Do not breathe dust.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Take care to prevent spills, waste and minimize release to the environment. |
| Conditions for safe storage | : Keep in properly labeled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations. |
| Materials to avoid | : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides |

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
3.1	09/30/2023	6008074-00010	Date of first issue: 06/05/2020

Explosives
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

inert or nuisance dust	50 Million particles per cubic foot
	Value type (Form of exposure): TWA (total dust)
	Basis: OSHA Z-3
	15 mg/m ³
	Value type (Form of exposure): TWA (total dust)
	Basis: OSHA Z-3
	5 mg/m ³
	Value type (Form of exposure): TWA (respirable fraction)
	Basis: OSHA Z-3
	15 Million particles per cubic foot
	Value type (Form of exposure): TWA (respirable fraction)
	Basis: OSHA Z-3
Dust, nuisance dust and particulates	10 mg/m ³
	Value type (Form of exposure): PEL (Total dust)
	Basis: CAL PEL
	5 mg/m ³
	Value type (Form of exposure): PEL (respirable dust fraction)
	Basis: CAL PEL

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Oxytetracycline	79-57-2	TWA	500 µg/m ³ (OEB 2)	Internal
Further information: DSEN				
		Wipe limit	100 µg/100 cm ²	Internal

Engineering measures : Use feasible engineering controls to minimize exposure to compound.
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
3.1	09/30/2023	6008074-00010	Date of first issue: 06/05/2020

hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection
Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection
Hygiene measures : Work uniform or laboratory coat.
: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Color : light yellow

Odor : No data available

Odor Threshold : No data available

pH : 1.5 - 3.0

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing, handling or other means.

Flammability (liquids) : Not applicable

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
3.1	09/30/2023	6008074-00010	Date of first issue: 06/05/2020

Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
3.1	09/30/2023	6008074-00010	Date of first issue: 06/05/2020

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:

Oxytetracycline:

Acute oral toxicity	:	LD50 (Rat): 4,800 mg/kg LD50 (Mouse): 2,240 mg/kg Remarks: Evidence of phototoxicity was observed
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	Remarks: No data available
Acute toxicity (other routes of administration)	:	LD50 (Rat): 4,840 mg/kg Application Route: Intramuscular LD50 (Mouse): 3,500 mg/kg Application Route: Subcutaneous

Skin corrosion/irritation

Causes severe burns.

Components:

Oxytetracycline:

Remarks : No data available

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Oxytetracycline:

Remarks : No data available

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
3.1	09/30/2023	6008074-00010	Date of first issue: 06/05/2020

Components:

Oxytetracycline:

Test Type	:	Human repeat insult patch test (HRIPT)
Result	:	Sensitizer

Germ cell mutagenicity

Not classified based on available information.

Components:

Oxytetracycline:

Genotoxicity in vitro	:	Test Type: Microbial mutagenesis assay (Ames test) Result: negative
-----------------------	---	--

Test Type: Mouse Lymphoma
Metabolic activation: Metabolic activation
Result: positive

Test Type: sister chromatid exchange assay
Test system: Chinese hamster ovary cells
Result: equivocal

Test Type: Chromosomal aberration
Result: negative

Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Oral Result: equivocal
----------------------	---	--

Test Type: in vivo assay
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.
-------------------------------------	---	--

Carcinogenicity

Not classified based on available information.

Components:

Oxytetracycline:

Species	:	Mouse
Application Route	:	Oral
Exposure time	:	104 weeks
Result	:	negative

Species	:	Rat
Application Route	:	Oral

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
3.1	09/30/2023	6008074-00010	Date of first issue: 06/05/2020

Exposure time : 103 weeks
Result : equivocal
Target Organs : Adrenal gland, Pituitary gland
Remarks : The mechanism or mode of action may not be relevant in humans.

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

May damage the unborn child.

Components:

Oxytetracycline:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Oral
Fertility: NOAEL: 18 mg/kg body weight
Result: No effects on fertility., No effect on reproduction capacity., No significant adverse effects were reported

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
Embryo-fetal toxicity.: LOAEL: 48 mg/kg body weight
Result: Postimplantation loss., Skeletal malformations.

Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
General Toxicity Maternal: LOAEL: 1,200 mg/kg body weight
Embryo-fetal toxicity.: NOAEL: 1,500 mg/kg body weight
Result: No teratogenic effects.
Remarks: Maternal toxicity observed.

Test Type: Embryo-fetal development
Species: Mouse
Application Route: Oral
General Toxicity Maternal: LOAEL: 1,325 mg/kg body weight
Embryo-fetal toxicity.: NOAEL: 2,100 mg/kg body weight
Result: No teratogenic effects.
Remarks: Maternal toxicity observed.

Test Type: Embryo-fetal development

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
3.1	09/30/2023	6008074-00010	Date of first issue: 06/05/2020

Species: Rabbit
Application Route: Intramuscular
Embryo-fetal toxicity.: LOAEL: 41.5 mg/kg body weight
Result: Postimplantation loss., No fetal abnormalities.

Test Type: Embryo-fetal development
Species: Dog
Application Route: Intramuscular
Embryo-fetal toxicity.: LOAEL: 20.75 mg/kg body weight
Result: Skeletal and visceral variations ., Postimplantation loss.

Reproductive toxicity - Assessment : Positive evidence of adverse effects on development from human epidemiological studies.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Oxytetracycline:

Species : Rat
LOAEL : 198 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Target Organs : Bone
Remarks : No significant adverse effects were reported

Species : Mouse
LOAEL : 7,990 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Target Organs : Bone
Remarks : No significant adverse effects were reported

Species : Dog
NOAEL : 125 mg/kg
LOAEL : 250 mg/kg
Application Route : Oral
Exposure time : 12 Months
Target Organs : Testis
Remarks : Significant toxicity observed in testing

Species : Rat
NOAEL : 40 mg/kg
LOAEL : 100 mg/kg
Application Route : Intraperitoneal
Exposure time : 14 Days
Target Organs : Kidney

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
3.1	09/30/2023	6008074-00010	Date of first issue: 06/05/2020

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Oxytetracycline:

Ingestion : Symptoms: Gastrointestinal disturbance, tooth discoloration
Remarks: May cause birth defects.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Oxytetracycline:

Toxicity to fish : LC50 (*Oryzias latipes* (Japanese medaka)): 110 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (*Daphnia magna* (Water flea)): 621 mg/l
aquatic invertebrates : Exposure time: 48 h
Method: OECD Test Guideline 202

EC50 (*Daphnia magna* (Water flea)): 669 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50 (*Anabaena*): 0.032 mg/l
plants : Exposure time: 72 h

NOEC (*Anabaena*): 0.0031 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC50: 17.9 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

NOEC: 0.2 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Persistence and degradability

No data available

Bioaccumulative potential

No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
3.1	09/30/2023	6008074-00010	Date of first issue: 06/05/2020

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	Dispose of in accordance with local regulations. Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (oxytetracycline)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

IATA-DGR

UN/ID No.	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (Oxytetracycline)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	956
Packing instruction (passenger aircraft)	:	956
Environmentally hazardous	:	yes

IMDG-Code

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Oxytetracycline)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
3.1	09/30/2023	6008074-00010	Date of first issue: 06/05/2020

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Oxytetracycline)
Class	: 9
Packing group	: III
Labels	: CLASS 9
ERG Code	: 171
Marine pollutant	: yes(Oxytetracycline)
Remarks	: Above applies only to containers over 119 gallons or 450 liters. Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	: Combustible dust Respiratory or skin sensitization Reproductive toxicity Skin corrosion or irritation Serious eye damage or eye irritation
-----------------------------	--

SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
-----------------	---

US State Regulations

Pennsylvania Right To Know

Oxytetracycline	79-57-2
Lactose	63-42-3

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
3.1	09/30/2023	6008074-00010	Date of first issue: 06/05/2020

California Prop. 65

WARNING: This product can expose you to chemicals including Oxytetracycline, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.


The ingredients of this product are reported in the following inventories:

DSL	:	not determined
AICS	:	not determined
IECSC	:	not determined

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH	*	3
FLAMMABILITY		3
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

CAL PEL	:	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
CAL PEL / PEL	:	Permissible exposure limit
OSHA Z-3 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Oxytetracycline Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
3.1	09/30/2023	6008074-00010	Date of first issue: 06/05/2020

x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 09/30/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8