

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Oxytetracycline / Diclofenac Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.10	09/28/2024	1313802-00019	Date of first issue: 02/20/2017

SECTION 1. IDENTIFICATION

Product name : Oxytetracycline / Diclofenac Liquid Formulation
Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Eye irritation : Category 2A
Skin sensitization : Sub-category 1A
Reproductive toxicity : Category 1A

GHS label elements

Hazard pictograms :

Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H360FD May damage fertility. May damage the unborn child.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P261 Avoid breathing mist or vapors.
P264 Wash skin thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves, protective clothing, eye protection and face protection.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Oxytetracycline / Diclofenac Liquid Formula- tion

Version 3.10 Revision Date: 09/28/2024 SDS Number: 1313802-00019 Date of last issue: 09/30/2023
Date of first issue: 02/20/2017

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical attention.
P333 + P313 If skin irritation or rash occurs: Get medical attention.
P337 + P313 If eye irritation persists: Get medical attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
2-Pyrrolidone	No data available	616-45-5	$\geq 30 - < 60$ *
Oxytetracycline	No data available	79-57-2	$\geq 10 - < 30$ *
Benzyl alcohol	Benzenemethanol	100-51-6	$\geq 1 - < 5$ *
Magnesium oxide	Caustic magnesite	1309-48-4	$\geq 1 - < 5$ *
Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate	No data available	15307-79-6	$\geq 0.1 - < 1$ *
Sodium hydroxymethanesulphonate	Methanesulfinic acid, 1-hydroxy-, sodium salt (1:1)	149-44-0	$\geq 0.1 - < 1$ *

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Oxytetracycline / Diclofenac Liquid Formula- tion

Version 3.10	Revision Date: 09/28/2024	SDS Number: 1313802-00019	Date of last issue: 09/30/2023 Date of first issue: 02/20/2017
-----------------	------------------------------	------------------------------	---

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	: In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: May cause an allergic skin reaction. Causes serious eye irritation. May damage fertility. May damage the unborn child.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Nitrogen oxides (NO _x)
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Oxytetracycline / Diclofenac Liquid Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.10	09/28/2024	1313802-00019	Date of first issue: 02/20/2017

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Avoid breathing mist or vapors.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Oxytetracycline / Diclofenac Liquid Formulation

Version 3.10 Revision Date: 09/28/2024 SDS Number: 1313802-00019 Date of last issue: 09/30/2023
Date of first issue: 02/20/2017

Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Oxytetracycline	79-57-2	TWA	500 µg/m ³ (OEB 2)	Internal
Further information: DSEN				
		Wipe limit	100 µg/100 cm ²	Internal
Magnesium oxide	1309-48-4	TWA (Fumes)	10 mg/m ³	CA AB OEL
		TWA (Inhalable fume)	10 mg/m ³ (Magnesium)	CA BC OEL
		TWA (Respirable dust and fume)	3 mg/m ³ (Magnesium)	CA BC OEL
		STEL (Respirable dust and fume)	10 mg/m ³ (Magnesium)	CA BC OEL
		TWAEV (inhalable dust)	10 mg/m ³	CA QC OEL
		TWA (Inhalable particulate matter)	10 mg/m ³	ACGIH
Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate	15307-79-6	TWA	100 µg/m ³ (OEB 2)	Internal
Further information: Skin				

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Oxytetracycline / Diclofenac Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.10	09/28/2024	1313802-00019	Date of first issue: 02/20/2017

Hand protection	:	Chemical-resistant gloves
Material	:	
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	light brown
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	8.3 - 9.0 (as aqueous solution)
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower	:	No data available

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Oxytetracycline / Diclofenac Liquid Formula- tion

Version 3.10	Revision Date: 09/28/2024	SDS Number: 1313802-00019	Date of last issue: 09/30/2023 Date of first issue: 02/20/2017
-----------------	------------------------------	------------------------------	---

flammability limit

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 1.05 - 1.18 g/cm³

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-
octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : 47.62 mm²/s

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-
tions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition
products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation

Skin contact

Ingestion

Eye contact

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Oxytetracycline / Diclofenac Liquid Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.10	09/28/2024	1313802-00019	Date of first issue: 02/20/2017

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

2-Pyrrolidone:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Oxytetracycline:

Acute oral toxicity : LD50 (Rat): 4,800 mg/kg
LD50 (Mouse): 2,240 mg/kg
Remarks: Evidence of phototoxicity was observed

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): 4,840 mg/kg
Application Route: Intramuscular
LD50 (Mouse): 3,500 mg/kg
Application Route: Subcutaneous

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.4 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Magnesium oxide:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 423
Assessment: The substance or mixture has no acute oral toxicity

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Oxytetracycline / Diclofenac Liquid Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.10	09/28/2024	1313802-00019	Date of first issue: 02/20/2017

icity

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 2.1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Remarks: Based on data from similar materials

Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Acute oral toxicity : LD50 (Rat): 55 - 240 mg/kg
LD50 (Mouse): 170 - 389 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 97 - 161 mg/kg
Application Route: Intravenous

LD50 (Mouse): 92 - 147 mg/kg
Application Route: Intravenous

Sodium hydroxymethanesulphinate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 423
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:

2-Pyrrolidone:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Oxytetracycline:

Remarks : No data available

Benzyl alcohol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Oxytetracycline / Diclofenac Liquid Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.10	09/28/2024	1313802-00019	Date of first issue: 02/20/2017

Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Result : irritating

Sodium hydroxymethanesulphinate:

Species : Rat
Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

2-Pyrrolidone:

Species : Rabbit
Result : Irritation to eyes, reversing within 7 days

Oxytetracycline:

Remarks : No data available

Benzyl alcohol:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Method : OECD Test Guideline 405

Magnesium oxide:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
Remarks : Based on data from similar materials

Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Result : Mild eye irritation

Sodium hydroxymethanesulphinate:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Oxytetracycline / Diclofenac Liquid Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.10	09/28/2024	1313802-00019	Date of first issue: 02/20/2017

Components:

2-Pyrrolidone:

Test Type	: Local lymph node assay (LLNA)
Routes of exposure	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: negative
Remarks	: Based on data from similar materials

Oxytetracycline:

Test Type	: Human repeat insult patch test (HRIPT)
Result	: Sensitizer

Benzyl alcohol:

Test Type	: Human repeat insult patch test (HRIPT)
Routes of exposure	: Skin contact
Species	: Humans
Result	: positive
Assessment	: Probability or evidence of low to moderate skin sensitization rate in humans

Magnesium oxide:

Test Type	: Maximization Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative
Remarks	: Based on data from similar materials

Sodium hydroxymethanesulphinate:

Test Type	: Maximization Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

Germ cell mutagenicity

Not classified based on available information.

Components:

2-Pyrrolidone:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Oxytetracycline / Diclofenac Liquid Formula- tion

Version 3.10	Revision Date: 09/28/2024	SDS Number: 1313802-00019	Date of last issue: 09/30/2023 Date of first issue: 02/20/2017
-----------------	------------------------------	------------------------------	---

		Result: negative Remarks: Based on data from similar materials
		Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative
Oxytetracycline:		
Genotoxicity in vitro	:	Test Type: Microbial mutagenesis assay (Ames test) Result: negative
		Test Type: Mouse Lymphoma Metabolic activation: Metabolic activation Result: positive
		Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells Result: equivocal
		Test Type: Chromosomal aberration Result: negative
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Oral Result: equivocal
		Test Type: in vivo assay Species: Mouse Application Route: Intraperitoneal injection Result: negative
Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.
Benzyl alcohol:		
Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Oxytetracycline / Diclofenac Liquid Formula- tion

Version 3.10	Revision Date: 09/28/2024	SDS Number: 1313802-00019	Date of last issue: 09/30/2023 Date of first issue: 02/20/2017
-----------------	------------------------------	------------------------------	---

Result: negative

Magnesium oxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: Based on data from similar materials

Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Mouse Lymphoma
Result: negative

Genotoxicity in vivo : Test Type: Chromosomal aberration
Species: CHO
Result: negative

Sodium hydroxymethanesulphonate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: positive

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell muta-
genicity tests.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Oxytetracycline / Diclofenac Liquid Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.10	09/28/2024	1313802-00019	Date of first issue: 02/20/2017

Carcinogenicity

Not classified based on available information.

Components:

2-Pyrrolidone:

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	18 month(s)
Result	:	negative
Remarks	:	Based on data from similar materials

Oxytetracycline:

Species	:	Mouse
Application Route	:	Oral
Exposure time	:	104 weeks
Result	:	negative

Species	:	Rat
Application Route	:	Oral
Exposure time	:	103 weeks
Result	:	equivocal
Target Organs	:	Adrenal gland, Pituitary gland
Remarks	:	The mechanism or mode of action may not be relevant in humans.

Carcinogenicity - Assessment	:	Weight of evidence does not support classification as a carcinogen
------------------------------	---	--

Benzyl alcohol:

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	103 weeks
Method	:	OECD Test Guideline 451
Result	:	negative

Magnesium oxide:

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	96 weeks
Result	:	negative
Remarks	:	Based on data from similar materials

Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Species	:	Rat
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	negative

Species	:	Mouse
---------	---	-------

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Oxytetracycline / Diclofenac Liquid Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.10	09/28/2024	1313802-00019	Date of first issue: 02/20/2017

Application Route : Oral
Exposure time : 2 Years
Result : negative

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

2-Pyrrolidone:

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: positive
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: positive

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

Oxytetracycline:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Oral
Fertility: NOAEL: 18 mg/kg body weight
Result: No effects on fertility., No effect on reproduction capacity., No significant adverse effects were reported

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
Embryo-fetal toxicity.: LOAEL: 48 mg/kg body weight
Result: Postimplantation loss., Skeletal malformations.

Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
General Toxicity Maternal: LOAEL: 1,200 mg/kg body weight
Embryo-fetal toxicity.: NOAEL: 1,500 mg/kg body weight
Result: No teratogenic effects.
Remarks: Maternal toxicity observed.

Test Type: Embryo-fetal development
Species: Mouse
Application Route: Oral

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Oxytetracycline / Diclofenac Liquid Formula- tion

Version 3.10	Revision Date: 09/28/2024	SDS Number: 1313802-00019	Date of last issue: 09/30/2023 Date of first issue: 02/20/2017
-----------------	------------------------------	------------------------------	---

General Toxicity Maternal: LOAEL: 1,325 mg/kg body weight
Embryo-fetal toxicity.: NOAEL: 2,100 mg/kg body weight
Result: No teratogenic effects.
Remarks: Maternal toxicity observed.

Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Intramuscular
Embryo-fetal toxicity.: LOAEL: 41.5 mg/kg body weight
Result: Postimplantation loss., No fetal abnormalities.

Test Type: Embryo-fetal development
Species: Dog
Application Route: Intramuscular
Embryo-fetal toxicity.: LOAEL: 20.75 mg/kg body weight
Result: Skeletal and visceral variations ., Postimplantation loss.

Reproductive toxicity - Assessment : Positive evidence of adverse effects on development from human epidemiological studies.

Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Ingestion
Result: negative

Magnesium oxide:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative
Remarks: Based on data from similar materials

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Oxytetracycline / Diclofenac Liquid Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.10	09/28/2024	1313802-00019	Date of first issue: 02/20/2017

Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Effects on fertility	: Test Type: Fertility Species: Rat, male and female Application Route: Oral Fertility: NOAEL: 4 mg/kg body weight Result: No effects on fertility.
Effects on fetal development	: Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 1 mg/kg body weight Result: Embryo-fetal toxicity., No teratogenic effects.
	: Test Type: Development Species: Rabbit Application Route: Oral Developmental Toxicity: LOAEL: 5 mg/kg body weight Result: Embryo-fetal toxicity., No teratogenic effects.

Reproductive toxicity - Assessment	: Suspected of damaging the unborn child.
------------------------------------	---

Sodium hydroxymethanesulphinate:

Effects on fertility	: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: positive
Reproductive toxicity - Assessment	: Some evidence of adverse effects on development, based on animal experiments.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Components:

Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Target Organs	: Gastrointestinal tract, Blood, lymphatic system, Liver, Prostate
Assessment	: Causes damage to organs through prolonged or repeated exposure.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Oxytetracycline / Diclofenac Liquid Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.10	09/28/2024	1313802-00019	Date of first issue: 02/20/2017

Repeated dose toxicity

Components:

2-Pyrrolidone:

Species	: Rat
NOAEL	: 207 mg/kg
Application Route	: Ingestion
Exposure time	: 3 Months
Method	: OECD Test Guideline 408

Oxytetracycline:

Species	: Rat
LOAEL	: 198 mg/kg
Application Route	: Oral
Exposure time	: 13 Weeks
Target Organs	: Bone
Remarks	: No significant adverse effects were reported

Species	: Mouse
LOAEL	: 7,990 mg/kg
Application Route	: Oral
Exposure time	: 13 Weeks
Target Organs	: Bone
Remarks	: No significant adverse effects were reported

Species	: Dog
NOAEL	: 125 mg/kg
LOAEL	: 250 mg/kg
Application Route	: Oral
Exposure time	: 12 Months
Target Organs	: Testis
Remarks	: Significant toxicity observed in testing

Species	: Rat
NOAEL	: 40 mg/kg
LOAEL	: 100 mg/kg
Application Route	: Intraperitoneal
Exposure time	: 14 Days
Target Organs	: Kidney

Benzyl alcohol:

Species	: Rat
NOAEL	: 1.072 mg/l
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 28 Days
Method	: OECD Test Guideline 412

Magnesium oxide:

Species	: Rat
---------	-------

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Oxytetracycline / Diclofenac Liquid Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.10	09/28/2024	1313802-00019	Date of first issue: 02/20/2017

NOAEL	: >= 1,000 mg/kg
Application Route	: Ingestion
Exposure time	: 28 Days
Method	: OECD Test Guideline 407
Remarks	: Based on data from similar materials

Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Species	: Rat
LOAEL	: 0.25 mg/kg
Application Route	: Oral
Exposure time	: 98 w
Target Organs	: Gastrointestinal tract, Blood, lymphatic system, Liver, Prostate

Species	: Dog
LOAEL	: 1 mg/kg
Application Route	: Oral
Exposure time	: 12 w
Target Organs	: Blood

Species	: Baboon
NOAEL	: 0.5 mg/kg
LOAEL	: 5 mg/kg
Application Route	: Oral
Exposure time	: 52 w
Target Organs	: Gastrointestinal tract, Blood
Symptoms	: constipation, Diarrhea

Sodium hydroxymethanesulphinate:

Species	: Rat
NOAEL	: 600 mg/kg
Application Route	: Ingestion
Exposure time	: 13 Weeks
Method	: OECD Test Guideline 408

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Oxytetracycline:

Ingestion	: Symptoms: Gastrointestinal disturbance, tooth discoloration Remarks: May cause birth defects.
-----------	--

Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Ingestion	: Symptoms: Abdominal pain, Diarrhea, constipation, heartburn, Ulceration, Dizziness, Headache, Breathing difficulties, Rash
-----------	--

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Oxytetracycline / Diclofenac Liquid Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.10	09/28/2024	1313802-00019	Date of first issue: 02/20/2017

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

2-Pyrrolidone:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 4,600 - 10,000 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 500 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l Exposure time: 72 h EC10 (Desmodesmus subspicatus (green algae)): 22.2 mg/l Exposure time: 72 h
Toxicity to microorganisms	:	EC50: > 1,000 mg/l Exposure time: 30 min Method: OECD Test Guideline 209

Oxytetracycline:

Toxicity to fish	:	LC50 (Oryzias latipes (Japanese medaka)): 110 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 621 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 EC50 (Daphnia magna (Water flea)): 669 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Anabaena): 0.032 mg/l Exposure time: 72 h NOEC (Anabaena): 0.0031 mg/l Exposure time: 72 h
Toxicity to microorganisms	:	EC50: 17.9 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 NOEC: 0.2 mg/l Exposure time: 3 h

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Oxytetracycline / Diclofenac Liquid Formula- tion

Version 3.10	Revision Date: 09/28/2024	SDS Number: 1313802-00019	Date of last issue: 09/30/2023 Date of first issue: 02/20/2017
-----------------	------------------------------	------------------------------	---

Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Benzyl alcohol:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 460 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 51 mg/l Exposure time: 21 d Method: OECD Test Guideline 211

Magnesium oxide:

Toxicity to fish	:	LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EL50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to microorganisms	:	EC50: > 100 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials

Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 166.6 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
------------------	---	---

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Oxytetracycline / Diclofenac Liquid Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.10	09/28/2024	1313802-00019	Date of first issue: 02/20/2017

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 80.1 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 71.9 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 49.2 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.32 mg/l
Exposure time: 32 d
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 10 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Sodium hydroxymethanesulphonate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 370 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 10 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): 13.5 mg/l
Exposure time: 35 d
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): 8 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Toxicity to microorganisms : NOEC: 10 mg/l
Exposure time: 4 h

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Oxytetracycline / Diclofenac Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.10	09/28/2024	1313802-00019	Date of first issue: 02/20/2017

Persistence and degradability

Components:

2-Pyrrolidone:

Biodegradability : Result: Readily biodegradable.
Remarks: Based on data from similar materials

Benzyl alcohol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 92 - 96 %
Exposure time: 14 d

Sodium hydroxymethanesulphonate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 77 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Bioaccumulative potential

Components:

2-Pyrrolidone:

Partition coefficient: n-octanol/water : log Pow: -0.71
Method: OECD Test Guideline 107

Benzyl alcohol:

Partition coefficient: n-octanol/water : log Pow: 1.05

Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Partition coefficient: n-octanol/water : log Pow: 4.51

Sodium hydroxymethanesulphonate:

Partition coefficient: n-octanol/water : log Pow: < 0.3

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Oxytetracycline / Diclofenac Liquid Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.10	09/28/2024	1313802-00019	Date of first issue: 02/20/2017

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (oxytetracycline)
Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (Oxytetracycline)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Oxytetracycline)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Oxytetracycline)
Class	: 9
Packing group	: III

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Oxytetracycline / Diclofenac Liquid Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.10	09/28/2024	1313802-00019	Date of first issue: 02/20/2017

Labels	:	9
ERG Code	:	171
Marine pollutant	:	yes(Oxytetracycline)

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for air-borne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA BC OEL / STEL	:	short-term exposure limit
CA QC OEL / TWA EV	:	Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Con-

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Oxytetracycline / Diclofenac Liquid Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.10	09/28/2024	1313802-00019	Date of first issue: 02/20/2017

centration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 09/28/2024
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8